

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google scholar

operator tree stream buffer

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar

Articles and patents

anytime

include citations



Create email alert

Results 1 - 10 of about 24,300. (0.30 sec)

Operator scheduling in a data stream manager

[psu.edu](#) [PDF]

D Carney, U Çetintemel, A Rasin, S Zdonik, ... - Proceedings of the ..., 2003 - portal.acm.org

... Depth of a query specifies the number of levels in the application **tree** and fan-out specifies the average number of children for each box. ... Using this box, we can model a variety of stateless **stream**-based **operators** such as filter, map, and union. ...

[Cited by 176](#) - [Related articles](#) - [BL Direct](#) - [All 35 versions](#)

[PDF] Design of forest riparian buffer strips for the protection of water quality: Analysis of scientific literature

[wildrockies.org](#) [PDF]

GH Belt, JO Laughlin, T Merrill - Idaho Forest, Wildlife and ..., 1992 - maps.wildrockies.org

... attention. The method of yarding and the care equipment **operators** take are, of course, important considerations. ... slope. Another model estimates the probability a riparian **tree** would contribute LOD to the **stream** channel. These ...

[Cited by 70](#) - [Related articles](#) - [All 3 versions](#)

Chain: Operator scheduling for memory minimization in data stream systems

[psu.edu](#) [PDF]

B Babcock, S Babu, R Motwani, M ... - Proceedings of the 2003 ..., 2003 - portal.acm.org

... aim of this paper is to design scheduling strategies that will form the core of a resource manager in a data **stream** system. ... Thus queries can be represented as rooted **trees**. Every **operator** is a filter that operates on a tuple and produces s tuples, where s is the **operator** selectivity. ...

[Cited by 199](#) - [Related articles](#) - [All 33 versions](#)

The BSD packet filter: A new architecture for user-level packet capture

[psu.edu](#) [PDF]

S McCanne, V Jacobson - Proceedings of the USENIX Winter 1993 ..., 1993 - portal.acm.org

... module and, thus, the capture module must copy data to **STREAM buffers** to send it up the **stream** to the ... In the **tree** model each node represents a boolean operation while the leaves represent test predicates on packet fields. The edges represent **operator**-operand relationships. ...

[Cited by 805](#) - [Related articles](#) - [All 77 versions](#)

A query algebra for fragmented XML stream data

[psu.edu](#) [PDF]

S Bose, L Fegaras, D Levine, V Chaiyavadi - Database Programming ..., 2004 - Springer

... Each n-ary algebraic **operator** op in the algebraic **tree** of a query is associated with n + 1 binding ...

The **operator** then recursively processes the remaining **stream** of records. ... failed predicate) or ⊥ (presence of a hole), then the fragment record t is not released to the output **stream**. ...

[Cited by 28](#) - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)

Models and issues in data **stream** systems

B Babcock, S Babu, M Datar, R Motwani, J ... - Proceedings of the ..., 2002 - portal.acm.org

... If one thinks about evaluating continuous **stream** queries using a traditional **tree** of query **operators**, where data streams enter at the leaves and final query answers are produced at the root, then the incorporation of blocking **operators** into the query **tree** poses problems. ...

[Cited by 1654](#) - [Related articles](#) - [BL Direct](#) - [All 18 versions](#)

Maximizing the output rate of multi-way join queries over **streaming** information sources

[psu.edu](#) [PDF]

SD Viglas, JF Naughton, J Burger - Proceedings of the 29th ..., 2003 - portal.acm.org

... Once the **stream** slowed down, the output rates were reversed, and when the **stream** re- turned to its initial rate, the original relative performance again appeared. This validates our intuition that while it is impossible to pick a single **tree** of binary **operators** that is always ...

[Cited by 161](#) - [Related articles](#) - [BL Direct](#) - [All 22 versions](#)

Fine sediment deposition in streams after selective forest harvesting without riparian buffers

[nrc-cnrc.gc.ca](#) [PDF]

DP Kreuzweiser, SS Capell - Canadian Journal of ..., 2001 - article.pubs.nrc-cnrc.gc.ca

... tired skidders. While opera- tors were careful to avoid driving machinery into or across **stream** beds, no **buffer** zones were established along the streams and there were no restrictions on taking marked **trees** from **stream** sides. ...

[Cited by 42](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

Encapsulation of parallelism in the Volcano query processing system

[colorado.edu](#) [PDF]

G Graefe - ACM SIGMOD Record, 1990 - portal.acm.org

... tte.txt for the top-most **operator** IS called repeatedly until it falls wnh an end of **stream** mdtea- tor ... m the E pro- grammtng language design [24] and the aigebratc query evaiuatron system of the Starburst extenstble relaounai data- base system [22] The **tree**-structured query ...

[Cited by 287](#) - [Related articles](#) - [All 12 versions](#)

Environmental benefits of poplar culture

JG Isebrands, DF Karnosky - Poplar Culture in North America, 2001 - books.google.com

... genera being used for phytoremediation because they grow rapidly, are easily propagated, and adapt well to riparian sites. ... Note wastewater emitter to the right of the **tree** in the foreground. **operators** are using hybrid poplars as an alternative for applying wastewater to their land ...

[Cited by 44](#) - [Related articles](#)

☒ [Create email alert](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

operator tree stream buffer

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)
[Sign in](#)

Google scholar

query statement operator tree stream buffer

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)☐ Search only in Engineering, Computer Science, and Mathematics.☐ Search in all subject areas.

Scholar

Articles excluding paten

- 2003

include citations

[Create email alert](#)

Results 1 - 10 of about 897. (0.24 sec)

Encapsulation of parallelism in the Volcano **query** processing system[colorado.edu](#) [PDF]G Graefe - ACM SIGMOD Record, 1990 - [portal.acm.org](#)... ' This **statement** only pertains to ... indicator After receiving three tagged packets, X's next procedureIII. A. ~111 indicate end-of-**stream** to A. When end-of-**stream** reaches the root **operator** of the **query**,A, the **query tree** is closed. Closing the exchange **operator** X includes ...[Cited by 287](#) - [Related articles](#) - [All 12 versions](#)An overview of **query** optimization in relational systems[psu.edu](#) [PDF]S Chaudhuri - Proceedings of the seventeenth ACM SIGACT- ..., 1998 - [portal.acm.org](#)... evaluation. Finally, such a representation does not capture the fact that SQL **statements**may have nested **query** blocks. ... nodes. (b) Use of a rule engine that allows transformationsto modify the **query** expression or the **operator trees**. Such ...[Cited by 287](#) - [Related articles](#) - [BL Direct](#) - [All 92 versions](#)Issues in data **stream** management[psu.edu](#) [PDF]L Golub, MT Özsu - ACM SIGMOD Record, 2003 - [portal.acm.org](#)... The loop contains a Window's **statement** that specifies the type and size of the window. ... 5.2Continuous **Query** Plans In relational DBMSs, all **operators** are pull-based: an **operator**requests data from one of its children in the plan **tree** only when needed. ...[Cited by 554](#) - [Related articles](#) - [BL Direct](#) - [All 31 versions](#)Extensible **query** processing in Starburst[psu.edu](#) [PDF]LM Haas, JC Freytag, GM Lohman, H ... - ACM SIGMOD ..., 1989 - [portal.acm.org](#)... Likewise, queries with set operations may appear wherever a select **statement** can be used --in view ... of the relational algebra (eg, JOIN, UNION, etc.), supplemented with physical **operators**such as ... A Starburst **query** evaluation plan (QEP) is a nesting of invocations of LOLEPOPs ...[Cited by 302](#) - [Related articles](#) - [All 22 versions](#)[PDF] Design and implementation of **stream operators**, **query** instantiator and **stream buffer** manager[uta.edu](#) [PDF]

A Gilani - 2003 - cse.uta.edu

... representation. It can be added as part of standard SQL **statement**. It ... They are the bridge, which connects the **operators** to make the **query tree**. Data flows from the **stream** into the **buffers**, this act as an input to the **operators**, which produces new data ...

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

Garlic: a new flavor of federated **query** processing for DB2

V Josifovski, P Schwarz, L Haas, E Lin - Proceedings of the 2002 ..., 2002 - portal.acm.org

... Once the information from the DDL **statement** has been val- idated and merged with any additional information supplied by the ... select list expression makes the plan un- usable, since without the necessary column value some **query** expression in the **operator tree** cannot be ...

[Cited by 83](#) - [Related articles](#) - [All 3 versions](#)

Second-order signature: a tool for specifying data models, **query** processing, and optimization

RH Güting - ACM SIGMOD Record, 1993 - portal.acm.org

... On the other hand, the algebras specified are also to serve as readable **query** languages (without syntactic sugar but still with a somewhat pleasing ap earance). To this end we allow to f specify a syntax pattern or each **operator** which, together with some slightly relaxing rules ...

[Cited by 74](#) - [Related articles](#) - [BL Direct](#) - [All 11 versions](#)

[psu.edu \[PDF\]](#)

[PDF] Reducing the braking distance of an SQL **query** engine

MJ Carey, D Kossmann - Proceedings of the International Conference on ..., 1998 - Citeseer

... Similarly, Microsoft SQL Server provides an OPTION FAST n clause and a session-level SET ROWCOUNT n **statement** for these ... Figure 3: Range Partitioning Plans for **Query** 1 ... re-initializing its in- put **operator** (ie, the table scan in the example) or its in- put **operator tree** (for more ...

[Cited by 136](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 20 versions](#)

[psu.edu \[PDF\]](#)

Chain: **Operator** scheduling for memory minimization in data **stream** systems

B Babcock, S Babu, R Motwani, M ... - Proceedings of the 2003 ..., 2003 - portal.acm.org

... **query operators** into **operator** chains corre- sponding to segments in the lower envelope of the **query** progress chart ... We can combine the preceding observations to prove a **statement** about the near-optimality of Chain on ... For the important case where all **operator** selectivities are ...

[Cited by 199](#) - [Related articles](#) - [All 33 versions](#)


[psu.edu \[PDF\]](#)


SRS--an indexing and retrieval tool for flat file data libraries

T Etzold, P Argos - Bioinformatics, 1993 - Oxford Univ Press

... short name of the index, the symbol ':', and a key or a combination of keys separated by the logical **operators** discussed previously. ... A key in the retrieval **statement** may bear the symbol '*' (wildcard) at the end such that the key refers to all ... A l Ha t Hani Library l **Query** l l **Query** 2 ...

[Cited by 368](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

 [Create email alert](#)

Goooooooooooooogle 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

query statement operator tree stream buffer

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google